

Date: December 9, 2003

From: Water Resource Group, Salt Lake City
To: All Colorado River Annual Operating Plan (AOP) Recipients

Current Status

| | November Inflow (unreg) (Acre-Feet) | Percent of Normal | Midnight December 8 Elevation | Reservoir Storage (Acre-Feet) |
|---------------|---|----------------------|-------------------------------------|-------------------------------------|
| Fontenelle | 27,000 | 63 | 6487.90 | 214,000 |
| Flaming Gorge | 28,000 | 50 | 6009.13 | 2,613,000 |
| Blue Mesa | 24,000 | 77 | 7460.43 | 374,000 |
| Powell | 353,000 | 65 | 3599.64 | 11,716,000 |
| Navajo | 24,000 | 68 | 5996.71 | 713,000 |

Expected Operation

FONTENELLE - Inflows to Fontenelle Reservoir have been averaging about 540 cfs over the first week of December which is about the average inflow for this time of year. Releases are currently 750 cfs and the reservoir elevation is decreasing at a rate of about 1 foot every 12 days. The current reservoir elevation is 6487.97 feet above sea level. With the projected inflows and releases over the next several months, the reservoir elevation will likely decline 15 to 20 feet between now and the beginning of March, 2004.

Open forum discussions on Fontenelle operations take place at the "Fontenelle Reservoir Working Group" meetings. The Working Group is a forum for information exchange between Reclamation and other parties associated with the operation of Fontenelle Reservoir. The public is encouraged to attend and express their concerns and interests with regard to Fontenelle Reservoir operation. The next Working Group meeting is scheduled for April 14th, 2004 at 10:00 a.m. and will at the Wyoming Fish and Game office located in Green River Wyoming. For more information about the Working Group, contact Ed Vidmar at 801-379-1182.

FLAMING GORGE - Inflows to Flaming Gorge Reservoir are currently averaging about 850 cfs for the first week of December while the unregulated inflow is averaging only 585 cfs (90% of normal). The reservoir elevation is currently 6009.17 feet above sea level and releases are steady at about 850 cfs. Releases will likely remain at the current level until spring of 2004.

The next "Flaming Gorge Working Group" meeting is to be held on April 15th, 2004 in Vernal, Utah at 10:00 a.m. at the Western Park Convention Center. The Working Group a forum for information exchange between Reclamation and all other parties associated with the operation of Flaming Gorge Reservoir. The public is encouraged to attend and express their concerns and interests with regard to the operation of Flaming Gorge Reservoir. For more information about the Working Group please contact Ed Vidmar at 801-379-1182.

ASPINALL – November unregulated inflow into Blue Mesa Reservoir was 24,000 acre-feet or 77 percent of average. Drought conditions still remain the controlling factor for water management throughout the region. Recorded precipitation during the month of November was 140 percent of normal. Average streamflow is still much below normal and will probably stay that way into next spring's runoff. It will take a winter of much above average snowfall to produce an average runoff since the soil moisture profiles are so depleted. The current inflow rate into Blue Mesa Reservoir is about 350 cfs and reservoir releases are averaging about 250 cfs. Blue Mesa's present elevation is 7460.43 feet, which corresponds to a storage content of about 374,000 acre-feet.

Releases from Crystal Dam are currently set at 325 cfs. The Gunnison Diversion Tunnel has been shut down for the winter season with the exception of some small 50 cfs diversions taken bi-weekly for the municipal water needs for the city of Montrose, Colorado. Due to the severity of the continuing drought in the Gunnison River Basin, river flows through the Black Canyon of the Gunnison have been set close to the minimum flow rate. Last year that rate was 250 cfs; currently we have the river flow at 325 cfs. Minimum flow rates between 250 to 350 cfs will remain in place through the rest of the fall and winter months.

On December 4, 2003, the National Weather Service's River Forecast Center issued the forecasted inflow over the next 3 months for continued below normal conditions. The unregulated inflow forecast for December, January, and February is 58,000 acre-feet which is 78% of normal for these months. Based on this forecast, Blue Mesa Reservoir elevation is estimated to increase about 1.35 feet to elevation 7461.78 feet or about 8,000 acre-feet by the end of February 2004.

The next meeting of the "Aspinall Unit Working Group" will be on Thursday, January 22, 2004 at 1:00 PM in Montrose, Colorado. At this meeting, review of last summer and fall reservoir operations, and plans for next winter and spring 2004 operations will be discussed. These meetings are open forum discussions on the Aspinall Unit reservoir operations with many interested groups participating. Anyone needing further information about these meetings should contact Dan Crabtree in the Grand Junction Area Office at (970) 248-0652.

NAVAJO – Reclamation decreased the release from Navajo Reservoir from 400 cubic feet per second (cfs) to 250 cfs, on Monday, November 3, 2003. All reservoir releases are made for the authorized purposes of the Navajo Unit, and to attempt to maintain a target base flow through the endangered fish critical habitat reach of the San Juan River (Farmington to Lake Powell).

Based upon current hydrological conditions and historical hydrologic data, the target base flow should remain above 440 cfs through the critical habitat area. The target base flow is calculated as the weekly average of gauged flows throughout the critical habitat area, therefore daily flows of less than 440 cfs may occur at some gages.

This scheduled release is subject to changes in river flows and weather conditions.

Inflow into Navajo Reservoir continues to be extremely low. The current reservoir inflow is averaging about 250 cfs. Presently, the reservoir water surface elevation is 5996.71 feet, which corresponds to a storage content of about 713,000 acre-feet. The monthly precipitation average in

the basin above Bluff was 120 percent of average for November. Unregulated reservoir inflow for November was 24,000 acre-feet, or 68 percent of average.

The December 1, 2003 forecasted inflow over the next 3 months is for continued below normal conditions. The unregulated inflow forecast for December, January, and February is 52,000 acre-feet which is 66% of normal for these months. Based on this forecast, the reservoir elevation is estimated to decline about 0.7 feet to elevation 5996.02 feet by the end of February 2004.

A public meeting on Navajo Reservoir operations will be held on Tuesday, January 20, 2004 starting at 1:00 PM in Farmington, New Mexico. At this meeting, review of last summer and fall reservoir operations, and plans for next winter and spring 2004 operations will be discussed. These are open forum discussions on the operation of Navajo Reservoir with many interested groups participating. Anyone interested in the general operation of the reservoir is encouraged to attend. Please contact Pat Page in Reclamation's Durango, Colorado Office at (970) 385-6560 for information about these meetings or the daily operation of Navajo Reservoir.

Glen Canyon Dam - Lake Powell

Operations

Releases from Glen Canyon Dam in December will be higher than November. In December, releases will average 9,800 cfs with a total of 600,000 acre-feet scheduled to be released. On Mondays through Saturdays in December, daily fluctuations due to load following will likely vary between a low of 6,500 cfs (during late evening and early morning off-peak hours) to a high of 12,500 cfs (during late afternoon and early evening on-peak hours). On Sundays, releases will likely vary between 6,500 cfs (during off-peak hours), and 8,000 cfs (during on-peak hours).

Releases from Glen Canyon Dam in January of 2004 are currently scheduled to be 788,000 acre-feet, which is an average of 12,800 cfs. Releases in January will be part of the ongoing experimental flows (described below). The fluctuation range will be greater than under normal operations, ranging from a low of 5,000 cfs to a high of 20,000 cfs.

Because of the draw down condition of Lake Powell, releases from Lake Powell in water year 2004 are being scheduled to meet the minimum release objective of 8.23 million acre-feet. This is consistent with the requirements of the Criteria for Coordinated Long-Range Operation of Colorado River Reservoirs.

Experimental Flows

Daily high fluctuating releases from Glen Canyon Dam, as part of the Glen Canyon Dam experimental flows, were implemented from January through March 2003, when releases ranged between a high of 20,000 cfs to a low of 5,000 cfs each day. These same high fluctuating releases are scheduled to be repeated in January through March of 2004.

The January through March high fluctuating releases are intended to benefit the endangered humpback chub. Scientists have recognized that the humpback chub population has been in general

decline since highly fluctuating flows were curtailed in November of 1991. Those flows helped keep the non-native fish, especially the rainbow and brown trout, in check. The trout are thought to prey upon and compete with native fish such as the endangered humpback chub.

The experimental flows from Glen Canyon Dam received environmental clearances in December 2002. The flows were analyzed in an environmental assessment in accordance with the National Environmental Policy Act. The experimental flows are the result of ongoing studies by scientists from the United States Geological Survey and were recommended by the Glen Canyon Dam Adaptive Management Work Group, a Federal advisory committee. The experimental flows address the decline of two key resources in the Grand Canyon: sediment and population viability of endangered humpback chub. The Finding of No Significant Impact on the experimental flows can be found at http://www.uc.usbr.gov/amp/flow_fonsi.pdf.

Basin Hydrology

Severe drought conditions in the Colorado River Basin continue. As we move into a new water year there are really no signals of the drought easing. Water year 2004 began on October 1, 2003 and the first month of the new water year was much warmer and drier than average. Basinwide precipitation in October was only 35 percent of average. November has been more favorable with cooler wetter conditions predominating. Basinwide snowpack is currently at 104 percent of average as of November 26, 2003. Soil moisture levels throughout the basin are very low, however, and the November snow has fallen upon very dry soils. This scenario is not favorable for next spring's runoff, as much of the melting snow will be absorbed by the dry soil. Reclamation is estimating that with average snowpack conditions this winter, runoff next spring would be about 75 percent of average.

The Colorado River Basin is now in its 5th year of drought. Inflow volumes have been below average for 4 consecutive years. Unregulated inflow in water year 2003 was only 53 percent of average. Unregulated inflow in 2000, 2001 and 2002 was 62, 59, and 25 percent of average, respectively. Inflow in 2002 was the lowest ever observed since the completion of Glen Canyon Dam in 1963.

The trend of low inflow continues. Unregulated inflow in November, 2003 will end up being only about 64 percent of average. As of November 25, 2003 observed inflow to Lake Powell is 5,700 cfs, about 55 percent of what is usually seen in late November.

Low inflows have reduced water storage in Lake Powell. The current elevation of Lake Powell is 3,600.9 feet (99.1 feet from full pool). Current storage is approximately 11.8 million acre-feet (49 percent of capacity). The good news is that even after 4 years of severe drought Lake Powell is still storing a large volume of water (nearly 12 million acre-feet).

TO ALL ANNUAL OPERATING PLAN RECIPIENTS

MAILED FROM UPPER COLORADO REGION
WATER RESOURCES GROUP
ATTENTION UC-280
125 SOUTH STATE STREET, ROOM 6107
SALT LAKE CITY, UT 84138-1102
PHONE 801-524-5571

RUNOFF PROJECTIONS AND INFLOW INFORMATION INTO UPPER BASIN RESERVOIR PROVIDED BY
THE COLORADO RIVER FORECASTING SERVICE THROUGH THE NATIONAL WEATHER SERVICE'S
COLORADO BASIN RIVER FORECAST CENTER ARE AS FOLLOWS

| | Obs | | | | | Forecast | | |
|---------------------|------|-----|-----|-----|------|----------|------|------|
| | aug | sep | oct | nov | %Avg | dec | jan | feb |
| GLDA3:Lake Powell | 137 | 454 | 306 | 353 | 65%: | 325/ | 325/ | 350/ |
| GBRW4:Fontenelle | 35 | 30 | 27 | 27 | 63%: | 23/ | 20/ | 20/ |
| GRNU1:Flaming Gorge | 33 | 26 | 24 | 28 | 50%: | 25/ | 20/ | 20/ |
| BMDC2:Blue Mesa | 33 | 45 | 27 | 24 | 77%: | 20/ | 20/ | 18/ |
| CLSC2:Crystal | 42 | 52 | 32 | 30 | 75%: | 25/ | 25/ | 23/ |
| VCRC2:Vallecito | 10.8 | 17 | 6.4 | 6.1 | 72%: | 5/ | 4/ | 4/ |
| NVRN5:Navajo | 2.4 | 49 | 14 | 24 | 68%: | 16/ | 15/ | 21/ |

: ** UNREGULATED CRYSTAL INFLOW COMBINES BLUE MESA UNREGULATED
: INFLOW PLUS THE SIDE INFLOW TO BOTH MORROW POINT AND CRYSTAL

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Fontenelle Reservoir

| Regulated Inflow 1000 Ac-Ft | Evap Losses 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft |
|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|
| * Dec 2002 | 26 | 1 | 40 | 0 | 40 | 6487.79 |
| H Jan 2003 | 25 | 1 | 40 | 0 | 40 | 6485.33 |
| I Feb 2003 | 24 | 1 | 36 | 0 | 36 | 6483.23 |
| S Mar 2003 | 59 | 1 | 58 | 0 | 58 | 6483.32 |
| T Apr 2003 | 56 | 1 | 83 | 4 | 87 | 6477.50 |
| O May 2003 | 76 | 1 | 74 | 13 | 87 | 6475.15 |
| R Jun 2003 | 189 | 2 | 63 | 0 | 63 | 6495.52 |
| I Jul 2003 | 69 | 2 | 46 | 0 | 46 | 6498.43 |
| C Aug 2003 | 35 | 2 | 47 | 0 | 47 | 6496.53 |
| A Sep 2003 | 31 | 2 | 46 | 0 | 46 | 6494.31 |
| WY 2003 | 653 | 16 | 598 | 31 | 629 | 258 |
| L Oct 2003 | 27 | 1 | 29 | 17 | 46 | 6491.32 |
| * Nov 2003 | 27 | 1 | 41 | 5 | 46 | 6488.45 |
| Dec 2003 | 23 | 1 | 46 | 0 | 46 | 6484.78 |
| Jan 2004 | 20 | 1 | 46 | 0 | 46 | 6480.21 |
| Feb 2004 | 20 | 1 | 42 | 0 | 42 | 6475.80 |
| Mar 2004 | 37 | 0 | 64 | 0 | 64 | 6469.73 |
| Apr 2004 | 70 | 1 | 91 | 0 | 91 | 6464.31 |
| May 2004 | 153 | 1 | 96 | 0 | 96 | 6477.20 |
| Jun 2004 | 278 | 2 | 101 | 34 | 135 | 6499.25 |
| Jul 2004 | 166 | 3 | 101 | 14 | 115 | 6505.49 |
| Aug 2004 | 72 | 2 | 100 | 0 | 100 | 6501.62 |
| Sep 2004 | 41 | 2 | 65 | 0 | 65 | 6498.19 |
| WY 2004 | 934 | 16 | 822 | 70 | 892 | 285 |
| Oct 2004 | 47 | 1 | 67 | 0 | 67 | 6495.27 |
| Nov 2004 | 39 | 1 | 65 | 0 | 65 | 6491.44 |
| Dec 2004 | 30 | 1 | 67 | 0 | 67 | 6485.65 |
| Jan 2005 | 28 | 1 | 67 | 0 | 67 | 6478.79 |
| Feb 2005 | 26 | 0 | 60 | 0 | 60 | 6471.57 |
| Mar 2005 | 47 | 0 | 70 | 0 | 70 | 6465.90 |
| Apr 2005 | 84 | 1 | 90 | 0 | 90 | 6464.18 |
| May 2005 | 176 | 1 | 96 | 24 | 120 | 6476.91 |
| Jun 2005 | 320 | 2 | 101 | 74 | 175 | 6499.32 |
| Jul 2005 | 192 | 3 | 101 | 39 | 140 | 6505.67 |
| Aug 2005 | 83 | 2 | 80 | 0 | 80 | 6505.76 |
| Sep 2005 | 48 | 2 | 72 | 0 | 72 | 6502.47 |
| WY 2005 | 1120 | 15 | 936 | 137 | 1073 | 318 |
| Oct 2005 | 52 | 1 | 67 | 0 | 67 | 6500.30 |
| Nov 2005 | 43 | 1 | 65 | 0 | 65 | 6497.25 |
| | | | | | | 279 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Flaming Gorge Reservoir

04-dec-2003 10:25:04

| | Unreg Inflow 1000 Ac-Ft | Regulated Inflow 1000 Ac-Ft | Evap Losses 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Bank Storage 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft | Yampa Flow 1000 Ac-Ft | Jensen Flow 1000 Ac-Ft |
|------------|----------------------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|-----------------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------|---------------------------------|
| * Dec 2002 | 22 | 36 | 2 | 50 | 0 | 50 | 68 | 6009.71 | 2632 | 0 | 72 |
| H Jan 2003 | 30 | 45 | 1 | 49 | 0 | 49 | 68 | 6009.50 | 2625 | 0 | 80 |
| I Feb 2003 | 32 | 43 | 2 | 57 | 0 | 57 | 67 | 6009.04 | 2610 | 0 | 79 |
| S Mar 2003 | 78 | 77 | 3 | 52 | 0 | 52 | 68 | 6009.69 | 2631 | 0 | 131 |
| T Apr 2003 | 66 | 96 | 4 | 49 | 0 | 49 | 70 | 6010.98 | 2673 | 0 | 219 |
| O May 2003 | 99 | 119 | 7 | 140 | 0 | 140 | 69 | 6010.17 | 2647 | 0 | 590 |
| R Jun 2003 | 244 | 111 | 9 | 63 | 0 | 63 | 70 | 6011.30 | 2684 | 0 | 506 |
| I Jul 2003 | 72 | 48 | 11 | 50 | 0 | 50 | 70 | 6010.90 | 2670 | 0 | 102 |
| C Aug 2003 | 33 | 44 | 11 | 52 | 0 | 52 | 69 | 6010.36 | 2653 | 0 | 65 |
| A Sep 2003 | 26 | 40 | 9 | 50 | 0 | 50 | 68 | 6009.81 | 2635 | 0 | 65 |
| WY 2003 | 764 | 737 | 68 | 710 | 0 | 710 | | | | | 2047 |
| L Oct 2003 | 23 | 43 | 6 | 52 | 0 | 52 | 68 | 6009.38 | 2621 | 0 | 67 |
| * Nov 2003 | 28 | 46 | 3 | 51 | 0 | 51 | 67 | 6009.17 | 2614 | 0 | 79 |
| Dec 2003 | 25 | 48 | 1 | 49 | 0 | 49 | 67 | 6009.14 | 2614 | 0 | 49 |
| Jan 2004 | 20 | 46 | 1 | 49 | 0 | 49 | 67 | 6009.00 | 2610 | 0 | 49 |
| Feb 2004 | 20 | 42 | 2 | 44 | 0 | 44 | 67 | 6008.89 | 2606 | 0 | 44 |
| Mar 2004 | 57 | 84 | 4 | 49 | 0 | 49 | 68 | 6009.82 | 2636 | 0 | 49 |
| Apr 2004 | 103 | 124 | 6 | 48 | 0 | 48 | 70 | 6011.92 | 2704 | 0 | 48 |
| May 2004 | 236 | 179 | 9 | 125 | 0 | 125 | 72 | 6013.24 | 2748 | 0 | 125 |
| Jun 2004 | 367 | 224 | 11 | 146 | 0 | 146 | 74 | 6015.16 | 2812 | 0 | 146 |
| Jul 2004 | 202 | 151 | 12 | 61 | 0 | 61 | 76 | 6017.36 | 2888 | 0 | 61 |
| Aug 2004 | 84 | 112 | 9 | 61 | 0 | 61 | 78 | 6018.53 | 2928 | 0 | 61 |
| Sep 2004 | 51 | 75 | 8 | 60 | 0 | 60 | 78 | 6018.72 | 2935 | 0 | 60 |
| WY 2004 | 1216 | 1174 | 72 | 795 | 0 | 795 | | | | | 838 |
| Oct 2004 | 59 | 79 | 5 | 61 | 0 | 61 | 78 | 6019.09 | 2948 | 0 | 61 |
| Nov 2004 | 50 | 76 | 2 | 60 | 0 | 60 | 79 | 6019.47 | 2961 | 0 | 60 |
| Dec 2004 | 36 | 73 | 2 | 61 | 0 | 61 | 79 | 6019.76 | 2971 | 0 | 61 |
| Jan 2005 | 41 | 80 | 2 | 61 | 0 | 61 | 80 | 6020.23 | 2988 | 0 | 61 |
| Feb 2005 | 45 | 79 | 2 | 56 | 0 | 56 | 80 | 6020.81 | 3008 | 0 | 56 |
| Mar 2005 | 97 | 120 | 4 | 61 | 0 | 61 | 82 | 6022.29 | 3061 | 0 | 61 |
| Apr 2005 | 141 | 147 | 7 | 60 | 0 | 60 | 85 | 6024.42 | 3139 | 0 | 60 |
| May 2005 | 273 | 217 | 10 | 160 | 0 | 160 | 86 | 6025.66 | 3185 | 0 | 160 |
| Jun 2005 | 423 | 278 | 13 | 185 | 0 | 185 | 89 | 6027.74 | 3262 | 0 | 185 |
| Jul 2005 | 233 | 181 | 14 | 117 | 0 | 117 | 90 | 6029.02 | 3311 | 0 | 117 |
| Aug 2005 | 97 | 94 | 10 | 117 | 0 | 117 | 89 | 6028.18 | 3279 | 0 | 117 |
| Sep 2005 | 59 | 83 | 9 | 114 | 0 | 114 | 88 | 6027.16 | 3241 | 0 | 114 |
| WY 2005 | 1554 | 1507 | 80 | 1113 | 0 | 1113 | | | | | 1113 |
| Oct 2005 | 65 | 80 | 5 | 61 | 0 | 61 | 89 | 6027.52 | 3254 | 0 | 61 |
| Nov 2005 | 56 | 78 | 2 | 60 | 0 | 60 | 89 | 6027.91 | 3269 | 0 | 60 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Taylor Park Reservoir

04-dec-2003 10:25:04

| Regulated Inflow 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft |
|--------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|
| * Dec 2002 | 3 | 3 | 9288.42 |
| H Jan 2003 | 3 | 3 | 9287.57 |
| I Feb 2003 | 3 | 3 | 9287.04 |
| S Mar 2003 | 3 | 4 | 9286.61 |
| T Apr 2003 | 7 | 4 | 9289.66 |
| O May 2003 | 29 | 8 | 9305.60 |
| R Jun 2003 | 31 | 13 | 9316.66 |
| I Jul 2003 | 9 | 15 | 9313.21 |
| C Aug 2003 | 6 | 14 | 9308.70 |
| A Sep 2003 | 8 | 7 | 9309.00 |
| WY 2003 | 109 | 81 | |
| L Oct 2003 | 5 | 4 | 9309.72 |
| * Nov 2003 | 4 | 3 | 9310.47 |
| Dec 2003 | 4 | 3 | 9310.81 |
| Jan 2004 | 3 | 3 | 9311.09 |
| Feb 2004 | 3 | 3 | 9311.12 |
| Mar 2004 | 3 | 3 | 9311.37 |
| Apr 2004 | 7 | 6 | 9311.74 |
| May 2004 | 21 | 14 | 9316.08 |
| Jun 2004 | 36 | 18 | 9325.61 |
| Jul 2004 | 17 | 18 | 9325.25 |
| Aug 2004 | 8 | 18 | 9319.97 |
| Sep 2004 | 6 | 14 | 9315.15 |
| WY 2004 | 117 | 107 | |
| Oct 2004 | 6 | 8 | 9313.92 |
| Nov 2004 | 5 | 3 | 9314.86 |
| Dec 2004 | 4 | 3 | 9315.51 |
| Jan 2005 | 4 | 3 | 9316.03 |
| Feb 2005 | 3 | 3 | 9316.26 |
| Mar 2005 | 4 | 6 | 9315.04 |
| Apr 2005 | 8 | 12 | 9312.41 |
| May 2005 | 25 | 18 | 9316.32 |
| Jun 2005 | 41 | 21 | 9327.09 |
| Jul 2005 | 20 | 22 | 9326.07 |
| Aug 2005 | 9 | 20 | 9320.41 |
| Sep 2005 | 6 | 16 | 9314.98 |
| WY 2005 | 135 | 135 | |
| Oct 2005 | 7 | 8 | 9314.10 |
| Nov 2005 | 5 | 6 | 9313.58 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Blue Mesa Reservoir

| | Unreg Inflow 1000 Ac-Ft | Regulated Inflow 1000 Ac-Ft | Evap Losses 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir elevation EOM Feet | Live Storage 1000 Ac-Ft |
|------------|----------------------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|
| * Dec 2002 | 17 | 18 | 0 | 13 | 0 | 13 | 7444.59 | 283 |
| H Jan 2003 | 17 | 18 | 0 | 11 | 0 | 11 | 7446.05 | 291 |
| I Feb 2003 | 16 | 17 | 0 | 15 | 0 | 15 | 7446.30 | 292 |
| S Mar 2003 | 27 | 27 | 0 | 9 | 0 | 9 | 7449.60 | 310 |
| T Apr 2003 | 42 | 39 | 0 | 50 | 0 | 50 | 7447.48 | 299 |
| O May 2003 | 174 | 155 | 1 | 42 | 0 | 42 | 7466.19 | 411 |
| R Jun 2003 | 170 | 150 | 1 | 48 | 0 | 48 | 7480.76 | 512 |
| I Jul 2003 | 43 | 49 | 1 | 101 | 0 | 101 | 7473.26 | 458 |
| C Aug 2003 | 33 | 40 | 1 | 93 | 0 | 93 | 7465.29 | 405 |
| A Sep 2003 | 45 | 45 | 1 | 62 | 0 | 62 | 7462.45 | 387 |
| WY 2003 | 631 | 606 | 5 | 489 | 0 | 489 | | |
| L Oct 2003 | 26 | 25 | 0 | 47 | 0 | 47 | 7458.78 | 364 |
| * Nov 2003 | 23 | 22 | 0 | 16 | 0 | 16 | 7459.81 | 370 |
| Dec 2003 | 20 | 19 | 0 | 16 | 0 | 16 | 7460.47 | 374 |
| Jan 2004 | 20 | 20 | 0 | 15 | 0 | 15 | 7461.18 | 379 |
| Feb 2004 | 18 | 18 | 0 | 14 | 0 | 14 | 7461.78 | 382 |
| Mar 2004 | 27 | 27 | 0 | 16 | 0 | 16 | 7463.40 | 393 |
| Apr 2004 | 59 | 58 | 1 | 28 | 0 | 28 | 7467.99 | 422 |
| May 2004 | 170 | 163 | 1 | 23 | 0 | 23 | 7487.38 | 561 |
| Jun 2004 | 228 | 211 | 1 | 29 | 0 | 29 | 7509.47 | 741 |
| Jul 2004 | 105 | 106 | 2 | 87 | 0 | 87 | 7511.50 | 759 |
| Aug 2004 | 51 | 61 | 1 | 101 | 0 | 101 | 7506.72 | 718 |
| Sep 2004 | 29 | 37 | 1 | 94 | 0 | 94 | 7499.86 | 660 |
| WY 2004 | 776 | 767 | 7 | 486 | 0 | 486 | | |
| Oct 2004 | 33 | 35 | 1 | 70 | 0 | 70 | 7495.49 | 625 |
| Nov 2004 | 29 | 27 | 0 | 41 | 0 | 41 | 7493.82 | 611 |
| Dec 2004 | 23 | 22 | 0 | 52 | 0 | 52 | 7489.97 | 581 |
| Jan 2005 | 23 | 22 | 0 | 80 | 0 | 80 | 7482.32 | 523 |
| Feb 2005 | 21 | 21 | 0 | 72 | 0 | 72 | 7475.17 | 471 |
| Mar 2005 | 32 | 34 | 0 | 82 | 0 | 82 | 7468.19 | 424 |
| Apr 2005 | 68 | 72 | 1 | 87 | 0 | 87 | 7465.95 | 409 |
| May 2005 | 196 | 189 | 1 | 43 | 0 | 43 | 7486.50 | 554 |
| Jun 2005 | 263 | 243 | 1 | 28 | 0 | 28 | 7512.54 | 768 |
| Jul 2005 | 121 | 123 | 2 | 87 | 0 | 87 | 7516.40 | 802 |
| Aug 2005 | 59 | 70 | 1 | 101 | 0 | 101 | 7512.75 | 770 |
| Sep 2005 | 33 | 43 | 1 | 102 | 0 | 102 | 7505.83 | 710 |
| WY 2005 | 901 | 901 | 8 | 845 | 0 | 845 | | |
| Oct 2005 | 37 | 39 | 1 | 82 | 0 | 82 | 7500.58 | 666 |
| Nov 2005 | 32 | 33 | 0 | 75 | 0 | 75 | 7495.34 | 624 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Morrow Point Reservoir

04-dec-2003 10:25:04

| | Unreg Inflow 1000 Ac-Ft | Blue Mesa Release 1000 Ac-Ft | Side Inflow 1000 Ac-Ft | Total Inflow 1000 Ac-Ft | Evap losses 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft |
|------------|----------------------------------|---------------------------------------|---------------------------------|----------------------------------|---------------------------------|-----------------------------------|------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|
| * Dec 2002 | 18 | 13 | 1 | 14 | 0 | 13 | 0 | 13 | 7150.72 | 110 |
| H Jan 2003 | 19 | 11 | 1 | 13 | 0 | 12 | 0 | 12 | 7151.64 | 110 |
| I Feb 2003 | 18 | 15 | 2 | 17 | 0 | 15 | 0 | 15 | 7154.46 | 113 |
| S Mar 2003 | 29 | 9 | 3 | 12 | 0 | 16 | 0 | 16 | 7148.63 | 108 |
| T Apr 2003 | 48 | 50 | 7 | 57 | 0 | 52 | 0 | 52 | 7154.64 | 113 |
| O May 2003 | 188 | 42 | 14 | 56 | 0 | 54 | 0 | 54 | 7157.73 | 115 |
| R Jun 2003 | 180 | 48 | 10 | 58 | 0 | 59 | 0 | 59 | 7157.05 | 115 |
| I Jul 2003 | 46 | 101 | 3 | 104 | 0 | 106 | 0 | 106 | 7154.89 | 113 |
| C Aug 2003 | 36 | 93 | 3 | 95 | 0 | 97 | 0 | 97 | 7152.55 | 111 |
| A Sep 2003 | 47 | 62 | 2 | 64 | 0 | 64 | 0 | 64 | 7153.42 | 112 |
| WY 2003 | 678 | 489 | 48 | 537 | 0 | 530 | 0 | 530 | | |
| L Oct 2003 | 28 | 47 | 2 | 49 | 0 | 52 | 0 | 52 | 7149.88 | 109 |
| * Nov 2003 | 25 | 16 | 2 | 18 | 0 | 16 | 0 | 16 | 7151.87 | 111 |
| Dec 2003 | 22 | 16 | 2 | 18 | 0 | 16 | 0 | 16 | 7153.73 | 112 |
| Jan 2004 | 22 | 15 | 2 | 17 | 0 | 17 | 0 | 17 | 7153.73 | 112 |
| Feb 2004 | 20 | 14 | 2 | 16 | 0 | 16 | 0 | 16 | 7153.73 | 112 |
| Mar 2004 | 30 | 16 | 3 | 19 | 0 | 19 | 0 | 19 | 7153.73 | 112 |
| Apr 2004 | 66 | 28 | 7 | 35 | 0 | 35 | 0 | 35 | 7153.73 | 112 |
| May 2004 | 193 | 23 | 23 | 46 | 0 | 46 | 0 | 46 | 7153.73 | 112 |
| Jun 2004 | 246 | 29 | 18 | 47 | 0 | 47 | 0 | 47 | 7153.73 | 112 |
| Jul 2004 | 110 | 87 | 5 | 91 | 0 | 92 | 0 | 92 | 7153.73 | 112 |
| Aug 2004 | 53 | 101 | 2 | 103 | 0 | 103 | 0 | 103 | 7153.73 | 112 |
| Sep 2004 | 30 | 94 | 1 | 95 | 0 | 95 | 0 | 95 | 7153.73 | 112 |
| WY 2004 | 845 | 486 | 69 | 554 | 0 | 554 | 0 | 554 | | |
| Oct 2004 | 35 | 70 | 2 | 72 | 0 | 72 | 0 | 72 | 7153.73 | 112 |
| Nov 2004 | 31 | 41 | 2 | 42 | 0 | 43 | 0 | 43 | 7153.73 | 112 |
| Dec 2004 | 25 | 52 | 2 | 54 | 0 | 54 | 0 | 54 | 7153.73 | 112 |
| Jan 2005 | 24 | 80 | 1 | 81 | 0 | 81 | 0 | 81 | 7153.73 | 112 |
| Feb 2005 | 23 | 72 | 2 | 74 | 0 | 74 | 0 | 74 | 7153.73 | 112 |
| Mar 2005 | 35 | 82 | 3 | 84 | 0 | 85 | 0 | 85 | 7153.73 | 112 |
| Apr 2005 | 77 | 87 | 9 | 96 | 0 | 96 | 0 | 96 | 7153.73 | 112 |
| May 2005 | 222 | 43 | 26 | 69 | 0 | 69 | 0 | 69 | 7153.73 | 112 |
| Jun 2005 | 284 | 28 | 21 | 49 | 0 | 49 | 0 | 49 | 7153.73 | 112 |
| Jul 2005 | 127 | 87 | 6 | 93 | 0 | 93 | 0 | 93 | 7153.73 | 112 |
| Aug 2005 | 61 | 101 | 2 | 103 | 0 | 103 | 0 | 103 | 7153.73 | 112 |
| Sep 2005 | 35 | 102 | 2 | 103 | 0 | 104 | 0 | 104 | 7153.73 | 112 |
| WY 2005 | 979 | 845 | 78 | 920 | 0 | 923 | 0 | 923 | | |
| Oct 2005 | 39 | 82 | 2 | 84 | 0 | 84 | 0 | 84 | 7153.73 | 112 |
| Nov 2005 | 34 | 75 | 2 | 77 | 0 | 77 | 0 | 77 | 7153.73 | 112 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Crystal Reservoir

04-dec-2003 10:25:04

| | unreg Inflow 1000 Ac-Ft | Morrow Release 1000 Ac-Ft | Side Inflow 1000 Ac-Ft | Total Inflow 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft | Tunnel Flow 1000 Ac-Ft | Below_tunnel Flow 1000 Ac-Ft |
|------------|----------------------------------|------------------------------------|---------------------------------|----------------------------------|-----------------------------------|------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|---------------------------------|---------------------------------------|
| * Dec 2002 | 21 | 13 | 2 | 16 | 1 | 14 | 15 | 6742.41 | 14 | 1 | 16 |
| H Jan 2003 | 22 | 12 | 3 | 15 | 2 | 14 | 16 | 6740.21 | 13 | 1 | 17 |
| I Feb 2003 | 21 | 15 | 3 | 18 | 0 | 15 | 15 | 6752.71 | 17 | 0 | 14 |
| S Mar 2003 | 34 | 16 | 4 | 20 | 10 | 11 | 21 | 6750.34 | 16 | 5 | 16 |
| T Apr 2003 | 56 | 52 | 7 | 59 | 59 | 0 | 59 | 6752.87 | 17 | 43 | 16 |
| O May 2003 | 206 | 54 | 18 | 72 | 72 | 0 | 72 | 6752.51 | 17 | 49 | 24 |
| R Jun 2003 | 196 | 59 | 16 | 75 | 77 | 1 | 78 | 6740.47 | 13 | 48 | 34 |
| I Jul 2003 | 52 | 106 | 6 | 111 | 108 | 1 | 109 | 6748.44 | 16 | 63 | 48 |
| C Aug 2003 | 42 | 97 | 6 | 103 | 102 | 0 | 102 | 6752.65 | 17 | 62 | 0 |
| A Sep 2003 | 52 | 64 | 5 | 68 | 70 | 0 | 70 | 6744.61 | 15 | 46 | 27 |
| WY 2003 | 756 | 530 | 76 | 605 | 522 | 86 | 608 | | 318 | 229 | |
| L Oct 2003 | 32 | 52 | 4 | 56 | 27 | 28 | 55 | 6746.98 | 15 | 34 | 22 |
| * Nov 2003 | 29 | 16 | 4 | 20 | 0 | 20 | 20 | 6747.86 | 16 | 0 | 20 |
| Dec 2003 | 25 | 16 | 3 | 20 | 0 | 20 | 20 | 6746.05 | 15 | 0 | 20 |
| Jan 2004 | 25 | 17 | 3 | 20 | 0 | 20 | 20 | 6746.05 | 15 | 0 | 20 |
| Feb 2004 | 23 | 16 | 3 | 19 | 0 | 19 | 19 | 6746.05 | 15 | 0 | 19 |
| Mar 2004 | 36 | 19 | 6 | 25 | 0 | 25 | 25 | 6746.05 | 15 | 5 | 20 |
| Apr 2004 | 81 | 35 | 15 | 50 | 50 | 0 | 50 | 6746.05 | 15 | 30 | 20 |
| May 2004 | 233 | 46 | 40 | 86 | 86 | 0 | 86 | 6746.05 | 15 | 55 | 31 |
| Jun 2004 | 295 | 47 | 49 | 96 | 96 | 0 | 96 | 6746.05 | 15 | 60 | 36 |
| Jul 2004 | 130 | 92 | 20 | 111 | 112 | 0 | 112 | 6746.05 | 15 | 65 | 46 |
| Aug 2004 | 64 | 103 | 11 | 114 | 114 | 0 | 114 | 6746.05 | 15 | 65 | 49 |
| Sep 2004 | 38 | 95 | 8 | 103 | 103 | 0 | 103 | 6746.05 | 15 | 55 | 48 |
| WY 2004 | 1011 | 554 | 166 | 720 | 588 | 132 | 720 | | 369 | 351 | |
| Oct 2004 | 42 | 72 | 7 | 79 | 79 | 0 | 79 | 6746.05 | 15 | 30 | 49 |
| Nov 2004 | 36 | 43 | 5 | 47 | 48 | 0 | 48 | 6746.05 | 15 | 0 | 47 |
| Dec 2004 | 30 | 54 | 5 | 59 | 59 | 0 | 59 | 6746.05 | 15 | 0 | 59 |
| Jan 2005 | 29 | 81 | 5 | 86 | 86 | 0 | 86 | 6746.05 | 15 | 0 | 86 |
| Feb 2005 | 27 | 74 | 4 | 78 | 78 | 0 | 78 | 6746.05 | 15 | 0 | 78 |
| Mar 2005 | 42 | 85 | 7 | 91 | 92 | 0 | 92 | 6746.05 | 15 | 5 | 87 |
| Apr 2005 | 94 | 96 | 17 | 113 | 112 | 1 | 113 | 6746.05 | 15 | 30 | 82 |
| May 2005 | 269 | 69 | 47 | 116 | 116 | 0 | 116 | 6746.05 | 15 | 55 | 61 |
| Jun 2005 | 340 | 49 | 56 | 105 | 105 | 0 | 105 | 6746.05 | 15 | 60 | 45 |
| Jul 2005 | 150 | 93 | 23 | 116 | 116 | 0 | 116 | 6746.05 | 15 | 65 | 51 |
| Aug 2005 | 74 | 103 | 13 | 116 | 116 | 0 | 116 | 6746.05 | 15 | 65 | 51 |
| Sep 2005 | 44 | 104 | 9 | 113 | 112 | 1 | 113 | 6746.05 | 15 | 55 | 57 |
| WY 2005 | 1177 | 923 | 198 | 1119 | 1119 | 2 | 1121 | | 365 | 753 | |
| Oct 2005 | 47 | 84 | 8 | 92 | 92 | 0 | 92 | 6746.05 | 15 | 30 | 62 |
| Nov 2005 | 40 | 77 | 6 | 83 | 83 | 0 | 83 | 6746.05 | 15 | 0 | 83 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Vallecito Reservoir

04-dec-2003 10:25:04

| Regulated Inflow 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Live Storage 1000 Ac-Ft |
|--------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|
| * Dec 2002 | 4 | 0 | 7622.37 |
| H Jan 2003 | 3 | 0 | 7624.24 |
| I Feb 2003 | 3 | 0 | 7625.98 |
| S Mar 2003 | 5 | 0 | 7628.62 |
| T Apr 2003 | 14 | 0 | 7635.63 |
| O May 2003 | 53 | 29 | 7646.68 |
| R Jun 2003 | 30 | 40 | 7641.61 |
| I Jul 2003 | 9 | 36 | 7627.82 |
| C Aug 2003 | 11 | 26 | 7616.93 |
| A Sep 2003 | 17 | 6 | 7624.58 |
| WY 2003 | 163 | 142 | |
| L Oct 2003 | 6 | 4 | 7625.86 |
| * Nov 2003 | 6 | 0 | 7629.25 |
| Dec 2003 | 5 | 0 | 7631.83 |
| Jan 2004 | 4 | 0 | 7633.77 |
| Feb 2004 | 4 | 0 | 7635.65 |
| Mar 2004 | 6 | 1 | 7638.27 |
| Apr 2004 | 17 | 13 | 7640.13 |
| May 2004 | 52 | 43 | 7644.37 |
| Jun 2004 | 64 | 42 | 7653.83 |
| Jul 2004 | 27 | 36 | 7650.15 |
| Aug 2004 | 15 | 30 | 7643.61 |
| Sep 2004 | 13 | 20 | 7640.17 |
| WY 2004 | 219 | 189 | |
| Oct 2004 | 13 | 4 | 7644.10 |
| Nov 2004 | 8 | 4 | 7645.91 |
| Dec 2004 | 5 | 5 | 7646.08 |
| Jan 2005 | 5 | 4 | 7646.30 |
| Feb 2005 | 5 | 4 | 7646.51 |
| Mar 2005 | 7 | 4 | 7647.88 |
| Apr 2005 | 19 | 22 | 7646.56 |
| May 2005 | 60 | 43 | 7653.75 |
| Jun 2005 | 74 | 42 | 7665.92 |
| Jul 2005 | 32 | 43 | 7661.65 |
| Aug 2005 | 17 | 43 | 7651.48 |
| Sep 2005 | 14 | 16 | 7650.82 |
| WY 2005 | 259 | 234 | |
| Oct 2005 | 14 | 12 | 7651.65 |
| Nov 2005 | 9 | 4 | 7653.68 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Navajo Reservoir

04-dec-2003 10:25:04

| Mod | Unreg | Azetea | Reg | Evap | NIIP | Total | Reservoir | Live | Farm |
|------------|--------|--------|-------|--------|--------|------------|-----------|-----------|---------|
| | Inflow | Tunnel | Div | Inflow | Losses | Diversions | Release | Elevation | Storage |
| | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | EOM | 1000 |
| | Ac-Ft | Ac-Ft | Ac-Ft | Ac-Ft | Ac-Ft | ac-Ft | Ac-Ft | Feet | Ac-Ft |
| * Dec 2002 | 13 | 0 | 9 | 0 | 0 | 22 | 6010.55 | 827 | 42 |
| H Jan 2003 | 13 | 0 | 10 | 0 | 0 | 22 | 6009.14 | 815 | 39 |
| I Feb 2003 | 15 | 0 | 12 | 0 | 0 | 20 | 6008.15 | 806 | 35 |
| S Mar 2003 | 39 | 1 | 34 | 1 | 4 | 22 | 6008.99 | 813 | 44 |
| T Apr 2003 | 71 | 11 | 48 | 2 | 16 | 21 | 6010.10 | 823 | 41 |
| O May 2003 | 163 | 26 | 115 | 2 | 26 | 25 | 6016.96 | 884 | 97 |
| R Jun 2003 | 81 | 19 | 68 | 3 | 36 | 29 | 6017.05 | 885 | 87 |
| I Jul 2003 | -9 | 1 | 17 | 3 | 41 | 58 | 6007.43 | 800 | 53 |
| C Aug 2003 | 2 | 1 | 19 | 2 | 33 | 43 | 6000.18 | 740 | 49 |
| A Sep 2003 | 48 | 3 | 35 | 2 | 15 | 24 | 5999.45 | 734 | 0 |
| WY 2003 | 479 | 62 | 400 | 17 | 183 | 338 | | | 536 |
| L Oct 2003 | 14 | 0 | 12 | 1 | 7 | 27 | 5996.50 | 711 | 33 |
| * Nov 2003 | 24 | 0 | 18 | 1 | 0 | 16 | 5996.73 | 713 | 36 |
| Dec 2003 | 16 | 0 | 11 | 0 | 0 | 15 | 5996.18 | 709 | 15 |
| Jan 2004 | 15 | 0 | 11 | 0 | 0 | 15 | 5995.62 | 704 | 15 |
| Feb 2004 | 21 | 0 | 17 | 0 | 0 | 14 | 5996.02 | 707 | 14 |
| Mar 2004 | 63 | 1 | 57 | 1 | 5 | 15 | 6000.60 | 744 | 15 |
| Apr 2004 | 127 | 14 | 109 | 1 | 24 | 15 | 6008.89 | 812 | 15 |
| May 2004 | 215 | 31 | 175 | 2 | 31 | 15 | 6022.91 | 939 | 15 |
| Jun 2004 | 200 | 32 | 146 | 3 | 43 | 15 | 6031.54 | 1024 | 15 |
| Jul 2004 | 66 | 9 | 66 | 3 | 48 | 28 | 6030.22 | 1011 | 28 |
| Aug 2004 | 35 | 3 | 48 | 2 | 43 | 36 | 6026.78 | 977 | 36 |
| Sep 2004 | 31 | 1 | 38 | 2 | 19 | 23 | 6026.18 | 971 | 23 |
| WY 2004 | 827 | 91 | 708 | 16 | 220 | 234 | | | 260 |
| Oct 2004 | 40 | 1 | 30 | 1 | 12 | 22 | 6025.76 | 967 | 22 |
| Nov 2004 | 32 | 0 | 28 | 1 | 1 | 21 | 6026.33 | 972 | 21 |
| Dec 2004 | 23 | 0 | 22 | 0 | 0 | 22 | 6026.38 | 973 | 22 |
| Jan 2005 | 21 | 0 | 21 | 0 | 0 | 31 | 6025.27 | 962 | 31 |
| Feb 2005 | 28 | 0 | 28 | 0 | 0 | 28 | 6025.17 | 961 | 28 |
| Mar 2005 | 80 | 1 | 76 | 1 | 4 | 31 | 6029.22 | 1001 | 31 |
| Apr 2005 | 153 | 14 | 142 | 2 | 21 | 30 | 6037.81 | 1089 | 30 |
| May 2005 | 248 | 31 | 200 | 3 | 28 | 59 | 6047.84 | 1200 | 59 |
| Jun 2005 | 231 | 32 | 167 | 3 | 39 | 120 | 6048.27 | 1205 | 120 |
| Jul 2005 | 76 | 9 | 78 | 4 | 44 | 40 | 6047.49 | 1196 | 40 |
| Aug 2005 | 41 | 3 | 64 | 3 | 43 | 34 | 6046.14 | 1181 | 34 |
| Sep 2005 | 36 | 1 | 37 | 2 | 19 | 30 | 6044.86 | 1166 | 30 |
| WY 2005 | 1009 | 92 | 893 | 20 | 211 | 468 | | | 468 |
| Oct 2005 | 44 | 1 | 41 | 1 | 12 | 31 | 6044.60 | 1163 | 31 |
| Nov 2005 | 35 | 0 | 30 | 1 | 1 | 30 | 6044.46 | 1162 | 30 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Lake Powell

04-dec-2003 10:25:04

| | Unreg Inflow 1000 Ac-Ft | Regulated Inflow 1000 Ac-Ft | Evap Losses 1000 Ac-Ft | Power Release 1000 Ac-Ft | Bypass Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Reservoir Elevation EOM Feet | Bank Storage 1000 Ac-Ft | EOM Storage 1000 Ac-Ft | Lees Ferry 1000 Ac-Ft |
|------------|----------------------------------|--------------------------------------|---------------------------------|-----------------------------------|------------------------------------|-----------------------------------|---------------------------------------|----------------------------------|---------------------------------|--------------------------------|
| * Dec 2002 | 252 | 279 | 24 | 602 | 0 | 602 | 3620.10 | 19151 | 13774 | 610 |
| H Jan 2003 | 236 | 264 | 16 | 784 | 0 | 784 | 3615.28 | 19120 | 13269 | 798 |
| I Feb 2003 | 262 | 281 | 17 | 714 | 0 | 714 | 3611.02 | 19106 | 12833 | 727 |
| S Mar 2003 | 413 | 376 | 15 | 786 | 0 | 786 | 3607.13 | 19071 | 12444 | 794 |
| T Apr 2003 | 409 | 387 | 22 | 601 | 0 | 601 | 3605.10 | 19035 | 12243 | 605 |
| O May 2003 | 1156 | 1054 | 29 | 652 | 0 | 652 | 3610.26 | 18895 | 12756 | 662 |
| R Jun 2003 | 2003 | 1644 | 44 | 842 | 0 | 842 | 3616.20 | 19045 | 13365 | 872 |
| I Jul 2003 | 350 | 447 | 45 | 900 | 0 | 900 | 3610.63 | 19117 | 12794 | 925 |
| C Aug 2003 | 137 | 292 | 50 | 902 | 0 | 902 | 3604.21 | 19096 | 12156 | 924 |
| A Sep 2003 | 454 | 490 | 47 | 473 | 0 | 473 | 3603.73 | 19113 | 12110 | 0 |
| WY 2003 | 6358 | 6270 | 368 | 8228 | 0 | 8228 | | | | 7900 |
| L Oct 2003 | 306 | 378 | 27 | 490 | 0 | 490 | 3601.93 | 19148 | 11935 | 500 |
| * Nov 2003 | 352 | 364 | 23 | 475 | 0 | 475 | 3600.48 | 19154 | 11796 | 483 |
| Dec 2003 | 325 | 343 | 25 | 600 | 0 | 600 | 3597.74 | 19133 | 11535 | 0 |
| Jan 2004 | 325 | 349 | 18 | 788 | 0 | 788 | 3593.19 | 19099 | 11112 | 0 |
| Feb 2004 | 350 | 363 | 17 | 712 | 0 | 712 | 3589.48 | 19072 | 10773 | 0 |
| Mar 2004 | 540 | 479 | 21 | 788 | 0 | 788 | 3586.06 | 19047 | 10468 | 0 |
| Apr 2004 | 786 | 626 | 23 | 600 | 0 | 600 | 3586.08 | 19047 | 10470 | 0 |
| May 2004 | 1797 | 1401 | 32 | 650 | 0 | 650 | 3593.44 | 19101 | 11135 | 0 |
| Jun 2004 | 2403 | 1873 | 39 | 800 | 0 | 800 | 3603.55 | 19177 | 12092 | 0 |
| Jul 2004 | 1215 | 1075 | 45 | 925 | 0 | 925 | 3604.54 | 19185 | 12189 | 0 |
| Aug 2004 | 478 | 552 | 46 | 925 | 0 | 925 | 3600.53 | 19154 | 11801 | 0 |
| Sep 2004 | 371 | 456 | 40 | 476 | 0 | 476 | 3599.96 | 19150 | 11746 | 0 |
| WY 2004 | 9248 | 8259 | 356 | 8229 | 0 | 8229 | | | | 983 |
| Oct 2004 | 502 | 535 | 36 | 492 | 0 | 492 | 3600.03 | 19150 | 11753 | 0 |
| Nov 2004 | 496 | 507 | 30 | 476 | 0 | 476 | 3600.05 | 19150 | 11754 | 0 |
| Dec 2004 | 396 | 449 | 25 | 492 | 0 | 492 | 3599.38 | 19145 | 11691 | 0 |
| Jan 2005 | 365 | 452 | 19 | 850 | 0 | 850 | 3595.28 | 19114 | 11306 | 0 |
| Feb 2005 | 379 | 441 | 17 | 650 | 0 | 650 | 3593.02 | 19098 | 11096 | 0 |
| Mar 2005 | 597 | 566 | 21 | 600 | 0 | 600 | 3592.47 | 19094 | 11045 | 0 |
| Apr 2005 | 887 | 737 | 24 | 600 | 0 | 600 | 3593.60 | 19102 | 11150 | 0 |
| May 2005 | 2074 | 1677 | 34 | 650 | 0 | 650 | 3603.32 | 19175 | 12069 | 0 |
| Jun 2005 | 2773 | 2260 | 41 | 800 | 0 | 800 | 3616.38 | 19281 | 13383 | 0 |
| Jul 2005 | 1402 | 1269 | 49 | 910 | 0 | 910 | 3619.12 | 19303 | 13670 | 0 |
| Aug 2005 | 552 | 653 | 50 | 910 | 0 | 910 | 3616.40 | 19281 | 13385 | 0 |
| Sep 2005 | 428 | 565 | 43 | 800 | 0 | 800 | 3613.91 | 19260 | 13128 | 0 |
| WY 2005 | 10851 | 10111 | 389 | 8230 | 0 | 8230 | | | | 0 |
| Oct 2005 | 557 | 598 | 38 | 600 | 0 | 600 | 3613.55 | 19257 | 13091 | 0 |
| Nov 2005 | 550 | 593 | 32 | 600 | 0 | 600 | 3613.20 | 19254 | 13055 | 0 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Hoover Dam - Lake Mead

04-dec-2003 10:25:04

| | Glen Release 1000 Ac-Ft | Side Inflow 1000 Ac-Ft | Evap Losses 1000 Ac-Ft | Total Release 1000 Ac-Ft | Total Release 1000 CFS | SNWP Use 1000 Ac-Ft | Dwnstrm Reqmnts 1000 Ac-Ft | Bank Storage 1000 Ac-Ft | Reservoir Elevation EOM Feet | EOM Storage 1000 Ac-Ft |
|------------|----------------------------------|---------------------------------|---------------------------------|-----------------------------------|---------------------------------|------------------------------|-------------------------------------|----------------------------------|---------------------------------------|---------------------------------|
| * Dec 2002 | 602 | 51 | 50 | 731 | 11.9 | 13 | 729 | 1087 | 1152.13 | 16718 |
| H Jan 2003 | 784 | 66 | 41 | 651 | 10.6 | 13 | 646 | 1095 | 1153.33 | 16854 |
| I Feb 2003 | 714 | 77 | 38 | 608 | 10.9 | 11 | 580 | 1104 | 1154.42 | 16978 |
| S Mar 2003 | 786 | 72 | 42 | 957 | 15.6 | 16 | 949 | 1094 | 1153.09 | 16826 |
| T Apr 2003 | 601 | 34 | 52 | 1138 | 19.1 | 21 | 1126 | 1059 | 1148.27 | 16287 |
| O May 2003 | 652 | 29 | 58 | 1017 | 16.5 | 24 | 1013 | 1033 | 1144.68 | 15893 |
| R Jun 2003 | 842 | 5 | 69 | 918 | 15.4 | 31 | 917 | 1023 | 1143.19 | 15733 |
| I Jul 2003 | 900 | 39 | 86 | 964 | 15.7 | 33 | 964 | 1014 | 1141.93 | 15598 |
| C Aug 2003 | 902 | 118 | 91 | 744 | 12.1 | 31 | 743 | 1023 | 1143.27 | 15741 |
| A Sep 2003 | 473 | 81 | 75 | 584 | 9.8 | 26 | 581 | 1015 | 1142.12 | 15618 |
| WY 2003 | 8228 | 656 | 719 | 9462 | | 268 | 9384 | | | |
| L Oct 2003 | 490 | 21 | 54 | 539 | 8.8 | 26 | 537 | 1009 | 1141.17 | 15517 |
| * Nov 2003 | 475 | 58 | 54 | 637 | 10.7 | 32 | 663 | 997 | 1139.48 | 15337 |
| Dec 2003 | 600 | 77 | 47 | 664 | 10.8 | 19 | 664 | 994 | 1139.02 | 15289 |
| Jan 2004 | 788 | 73 | 38 | 623 | 10.1 | 13 | 623 | 1005 | 1140.68 | 15464 |
| Feb 2004 | 712 | 98 | 35 | 774 | 13.5 | 12 | 774 | 1004 | 1140.58 | 15453 |
| Mar 2004 | 788 | 84 | 39 | 940 | 15.3 | 20 | 940 | 997 | 1139.44 | 15333 |
| Apr 2004 | 600 | 58 | 48 | 1098 | 18.4 | 25 | 1098 | 965 | 1134.84 | 14852 |
| May 2004 | 650 | 78 | 55 | 1021 | 16.6 | 32 | 1021 | 942 | 1131.38 | 14495 |
| Jun 2004 | 800 | 39 | 65 | 864 | 14.5 | 32 | 864 | 935 | 1130.26 | 14380 |
| Jul 2004 | 925 | 68 | 81 | 886 | 14.4 | 32 | 886 | 934 | 1130.20 | 14375 |
| Aug 2004 | 925 | 83 | 87 | 807 | 13.1 | 32 | 807 | 939 | 1130.96 | 14452 |
| Sep 2004 | 476 | 71 | 71 | 588 | 9.9 | 30 | 588 | 931 | 1129.65 | 14319 |
| WY 2004 | 8229 | 808 | 674 | 9441 | | 305 | 9464 | | | |
| Oct 2004 | 492 | 62 | 52 | 341 | 5.5 | 30 | 341 | 939 | 1130.86 | 14441 |
| Nov 2004 | 476 | 60 | 52 | 678 | 11.4 | 21 | 678 | 926 | 1128.88 | 14240 |
| Dec 2004 | 492 | 77 | 44 | 657 | 10.7 | 16 | 657 | 917 | 1127.49 | 14100 |
| Jan 2005 | 850 | 73 | 36 | 727 | 11.8 | 13 | 727 | 925 | 1128.86 | 14238 |
| Feb 2005 | 650 | 98 | 33 | 636 | 11.4 | 12 | 636 | 930 | 1129.47 | 14301 |
| Mar 2005 | 600 | 84 | 37 | 991 | 16.1 | 20 | 991 | 907 | 1126.08 | 13959 |
| Apr 2005 | 600 | 58 | 46 | 1087 | 18.3 | 25 | 1087 | 877 | 1121.34 | 13489 |
| May 2005 | 650 | 78 | 52 | 990 | 16.1 | 32 | 990 | 856 | 1117.99 | 13165 |
| Jun 2005 | 800 | 39 | 62 | 894 | 15.0 | 32 | 894 | 847 | 1116.55 | 13026 |
| Jul 2005 | 910 | 68 | 77 | 853 | 13.9 | 32 | 853 | 848 | 1116.71 | 13042 |
| Aug 2005 | 910 | 83 | 82 | 754 | 12.3 | 32 | 754 | 855 | 1117.93 | 13159 |
| Sep 2005 | 800 | 71 | 68 | 611 | 10.3 | 30 | 611 | 865 | 1119.50 | 13311 |
| WY 2005 | 8230 | 851 | 641 | 9219 | | 295 | 9218 | | | |
| Oct 2005 | 600 | 62 | 50 | 440 | 7.2 | 30 | 440 | 874 | 1120.89 | 13445 |
| Nov 2005 | 600 | 60 | 50 | 671 | 11.3 | 21 | 671 | 869 | 1120.09 | 13369 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Davis Dam - Lake Mohave

04-dec-2003 10:25:04

| | Hoover Release 1000 Ac-Ft | Side inflow 1000 Ac-Ft | Power Release 1000 Ac-Ft | Spill Release 1000 Ac-Ft | Total Release 1000 Ac-Ft | Total Release 1000 CFS | Reservoir Elevation EOM Feet | EOM Storage 1000 Ac-Ft |
|------------|------------------------------------|---------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---------------------------------------|---------------------------------|
| * Dec 2002 | 731 | -23 | 544 | 0 | 544 | 8.9 | 642.27 | 1679 |
| H Jan 2003 | 651 | -17 | 608 | 0 | 608 | 9.9 | 643.24 | 1705 |
| I Feb 2003 | 608 | -13 | 572 | 0 | 572 | 10.3 | 644.08 | 1728 |
| S Mar 2003 | 957 | -19 | 980 | 0 | 980 | 15.9 | 642.53 | 1686 |
| T Apr 2003 | 1138 | -30 | 1108 | 0 | 1108 | 18.6 | 642.53 | 1686 |
| O May 2003 | 1017 | -33 | 955 | 0 | 955 | 15.5 | 643.60 | 1715 |
| R Jun 2003 | 918 | -32 | 905 | 0 | 905 | 15.2 | 642.89 | 1696 |
| I Jul 2003 | 964 | -31 | 886 | 0 | 886 | 14.4 | 644.60 | 1743 |
| C Aug 2003 | 744 | -23 | 723 | 0 | 723 | 11.8 | 644.48 | 1739 |
| A Sep 2003 | 584 | -20 | 660 | 0 | 660 | 11.1 | 640.95 | 1643 |
| WY 2003 | 9462 | -256 | 9135 | 0 | 9135 | | | |
| L Oct 2003 | 539 | -7 | 706 | 0 | 706 | 11.5 | 634.31 | 1468 |
| * Nov 2003 | 637 | -11 | 568 | 0 | 568 | 9.5 | 636.53 | 1526 |
| Dec 2003 | 664 | -28 | 517 | 0 | 517 | 8.4 | 641.00 | 1644 |
| Jan 2004 | 623 | -32 | 578 | 0 | 578 | 9.4 | 641.50 | 1658 |
| Feb 2004 | 774 | -26 | 707 | 0 | 707 | 12.3 | 643.01 | 1699 |
| Mar 2004 | 940 | -29 | 911 | 0 | 911 | 14.8 | 643.01 | 1699 |
| Apr 2004 | 1098 | -36 | 1062 | 0 | 1062 | 17.8 | 643.01 | 1699 |
| May 2004 | 1021 | -33 | 988 | 0 | 988 | 16.1 | 643.01 | 1699 |
| Jun 2004 | 864 | -28 | 864 | 0 | 864 | 14.5 | 642.00 | 1671 |
| Jul 2004 | 886 | -29 | 870 | 0 | 870 | 14.2 | 641.50 | 1658 |
| Aug 2004 | 807 | -35 | 772 | 0 | 772 | 12.6 | 641.50 | 1658 |
| Sep 2004 | 588 | -31 | 650 | 0 | 650 | 10.9 | 638.00 | 1564 |
| WY 2004 | 9441 | -325 | 9193 | 0 | 9193 | | | |
| Oct 2004 | 341 | -30 | 504 | 0 | 504 | 8.2 | 630.49 | 1371 |
| Nov 2004 | 678 | -28 | 561 | 0 | 561 | 9.4 | 634.00 | 1460 |
| Dec 2004 | 657 | -28 | 506 | 0 | 506 | 8.2 | 638.71 | 1583 |
| Jan 2005 | 727 | -32 | 612 | 0 | 612 | 10.0 | 641.80 | 1666 |
| Feb 2005 | 636 | -26 | 577 | 0 | 577 | 10.4 | 643.01 | 1699 |
| Mar 2005 | 991 | -29 | 962 | 0 | 962 | 15.6 | 643.01 | 1699 |
| Apr 2005 | 1087 | -36 | 1051 | 0 | 1051 | 17.7 | 643.01 | 1699 |
| May 2005 | 990 | -33 | 957 | 0 | 957 | 15.6 | 643.01 | 1699 |
| Jun 2005 | 894 | -28 | 893 | 0 | 893 | 15.0 | 642.00 | 1671 |
| Jul 2005 | 853 | -29 | 837 | 0 | 837 | 13.6 | 641.50 | 1658 |
| Aug 2005 | 754 | -35 | 719 | 0 | 719 | 11.7 | 641.50 | 1658 |
| Sep 2005 | 611 | -31 | 673 | 0 | 673 | 11.3 | 638.00 | 1564 |
| WY 2005 | 9219 | -365 | 8852 | 0 | 8852 | | | |
| Oct 2005 | 440 | -30 | 603 | 0 | 603 | 9.8 | 630.49 | 1371 |
| Nov 2005 | 671 | -28 | 554 | 0 | 554 | 9.3 | 634.00 | 1460 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Parker Dam - Lake Havasu

04-dec-2003 10:25:04

| | Davis Release 1000 Ac-Ft | Side Inflow 1000 Ac-Ft | Total Release 1000 Ac-Ft | Total Release 1000 CFS | MWD 1000 Ac-Ft | CAP diversion 1000 Ac-Ft | Reservoir Elevation EOM Feet | EOM Storage 1000 Ac-Ft | Flow to Mexico 1000 Ac-Ft | Flow to Mexico 1000 CFS |
|------------|--------------------------------|------------------------------|--------------------------------|------------------------------|----------------------|--------------------------------|------------------------------------|------------------------------|---------------------------------|-------------------------------|
| * Dec 2002 | 544 | 4 | 322 | 5.2 | 110 | 128 | 446.21 | 547 | 122 | 2.0 |
| H Jan 2003 | 608 | -2 | 378 | 6.1 | 58 | 179 | 445.69 | 537 | 134 | 2.2 |
| I Feb 2003 | 572 | 13 | 376 | 6.8 | 6 | 167 | 447.62 | 573 | 181 | 3.3 |
| S Mar 2003 | 980 | -13 | 728 | 11.8 | 82 | 188 | 445.89 | 541 | 207 | 3.4 |
| T Apr 2003 | 1108 | 1 | 800 | 13.4 | 82 | 176 | 448.60 | 592 | 205 | 3.4 |
| O May 2003 | 955 | 49 | 709 | 11.5 | 53 | 184 | 448.83 | 596 | 112 | 1.8 |
| R Jun 2003 | 905 | -15 | 715 | 12.0 | 35 | 144 | 448.57 | 591 | 112 | 1.9 |
| I Jul 2003 | 886 | -13 | 742 | 12.1 | 51 | 76 | 448.81 | 596 | 122 | 2.0 |
| C Aug 2003 | 723 | -4 | 607 | 9.9 | 63 | 48 | 448.81 | 596 | 100 | 1.6 |
| A Sep 2003 | 660 | -9 | 572 | 9.6 | 57 | 54 | 447.05 | 562 | 93 | 1.6 |
| WY 2003 | 9135 | 19 | 6840 | | 764 | 1492 | | | 1571 | |
| L Oct 2003 | 706 | -9 | 509 | 8.3 | 60 | 125 | 447.20 | 565 | 73 | 1.2 |
| * Nov 2003 | 568 | 6 | 336 | 5.7 | 67 | 175 | 446.96 | 560 | 72 | 1.2 |
| Dec 2003 | 517 | 0 | 342 | 5.6 | 28 | 189 | 444.65 | 518 | 119 | 1.9 |
| Jan 2004 | 578 | -6 | 354 | 5.8 | 42 | 188 | 444.00 | 507 | 130 | 2.1 |
| Feb 2004 | 707 | 10 | 476 | 8.3 | 42 | 166 | 445.80 | 539 | 155 | 2.7 |
| Mar 2004 | 911 | 12 | 680 | 11.1 | 42 | 185 | 446.70 | 555 | 200 | 3.3 |
| Apr 2004 | 1062 | 0 | 805 | 13.5 | 42 | 176 | 448.71 | 594 | 193 | 3.2 |
| May 2004 | 988 | -2 | 744 | 12.1 | 42 | 182 | 449.60 | 611 | 109 | 1.8 |
| Jun 2004 | 864 | -7 | 732 | 12.3 | 42 | 82 | 449.60 | 611 | 111 | 1.9 |
| Jul 2004 | 870 | -9 | 771 | 12.5 | 42 | 79 | 448.00 | 580 | 121 | 2.0 |
| Aug 2004 | 772 | 1 | 668 | 10.9 | 42 | 72 | 447.50 | 570 | 100 | 1.6 |
| Sep 2004 | 650 | 8 | 560 | 9.4 | 42 | 69 | 446.81 | 557 | 90 | 1.5 |
| WY 2004 | 9193 | 4 | 6977 | | 533 | 1688 | | | 1473 | |
| Oct 2004 | 504 | 11 | 482 | 7.8 | 42 | 0 | 446.31 | 548 | 72 | 1.2 |
| Nov 2004 | 561 | 17 | 378 | 6.4 | 42 | 163 | 445.99 | 543 | 99 | 1.7 |
| Dec 2004 | 506 | 0 | 320 | 5.2 | 42 | 148 | 445.80 | 539 | 119 | 1.9 |
| Jan 2005 | 612 | -6 | 378 | 6.1 | 42 | 186 | 445.80 | 539 | 130 | 2.1 |
| Feb 2005 | 577 | 10 | 376 | 6.8 | 42 | 169 | 445.80 | 539 | 155 | 2.8 |
| Mar 2005 | 962 | 12 | 728 | 11.8 | 42 | 187 | 446.70 | 555 | 200 | 3.3 |
| Apr 2005 | 1051 | 0 | 800 | 13.4 | 42 | 171 | 448.71 | 594 | 193 | 3.2 |
| May 2005 | 957 | -2 | 710 | 11.5 | 42 | 185 | 449.60 | 611 | 109 | 1.8 |
| Jun 2005 | 893 | -7 | 715 | 12.0 | 42 | 129 | 449.60 | 611 | 111 | 1.9 |
| Jul 2005 | 837 | -9 | 742 | 12.1 | 42 | 75 | 448.00 | 580 | 121 | 2.0 |
| Aug 2005 | 719 | 1 | 607 | 9.9 | 42 | 80 | 447.50 | 570 | 100 | 1.6 |
| Sep 2005 | 673 | 8 | 572 | 9.6 | 42 | 80 | 446.81 | 557 | 90 | 1.5 |
| WY 2005 | 8852 | 35 | 6808 | | 504 | 1573 | | | 1499 | |
| Oct 2005 | 603 | 11 | 509 | 8.3 | 42 | 72 | 446.29 | 548 | 72 | 1.2 |
| Nov 2005 | 554 | 17 | 393 | 6.6 | 42 | 141 | 446.00 | 543 | 99 | 1.7 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Hoover Dam - Lake Mead

09-dec-2003 09:18:01

| | Power Release 1000 Ac-Ft | Power Release 1000 CFS | EOM Reservoir Elevation Feet | EOM Storage 1000 Ac-Ft | Change_In Storage 1000 Ac-Ft | Hoover Static Head Feet | Hoover Generator Capacity MW | Hoover Gross Energy MKWH | Percent Of Units Available | KWH/AF |
|------------|--------------------------|------------------------|------------------------------|------------------------|------------------------------|-------------------------|------------------------------|--------------------------|----------------------------|--------|
| * Dec 2002 | 731 | 11.9 | 1152.13 | 16718 | -133 | 0.00 | 1317.0 | 324.3 | 69 | 443.9 |
| H Jan 2003 | 651 | 10.6 | 1153.33 | 16854 | 136 | 0.00 | 1183.0 | 285.8 | 62 | 438.7 |
| I Feb 2003 | 608 | 10.9 | 1154.42 | 16978 | 125 | 0.00 | 1317.0 | 265.2 | 69 | 436.1 |
| S Mar 2003 | 957 | 15.6 | 1153.09 | 16826 | -152 | 0.00 | 1526.0 | 425.3 | 80 | 444.4 |
| T Apr 2003 | 1138 | 19.1 | 1148.27 | 16287 | -539 | 0.00 | 1431.0 | 504.4 | 75 | 443.3 |
| O May 2003 | 1017 | 16.5 | 1144.68 | 15893 | -393 | 0.00 | 1509.0 | 443.4 | 82 | 435.8 |
| R Jun 2003 | 918 | 15.4 | 1143.19 | 15733 | -161 | 0.00 | 1840.0 | 394.8 | 100 | 429.9 |
| I Jul 2003 | 964 | 15.7 | 1141.93 | 15598 | -135 | 0.00 | 1840.0 | 413.6 | 100 | 428.8 |
| C Aug 2003 | 744 | 12.1 | 1143.27 | 15741 | 144 | 0.00 | 1840.0 | 313.4 | 100 | 421.2 |
| A Sep 2003 | 584 | 9.8 | 1142.12 | 15618 | -124 | 0.00 | 1840.0 | 242.1 | 100 | 414.5 |
| WY 2003 | 9463 | | | | | | | 4112.9 | | |
| L Oct 2003 | 539 | 8.8 | 1141.17 | 15517 | -101 | 0.00 | 1490.0 | 225.4 | 81 | 418.5 |
| * Nov 2003 | 637 | 10.7 | 1139.48 | 15337 | -178 | 0.00 | 1233.0 | 272.5 | 67 | 427.7 |
| Dec 2003 | 697 | 11.3 | 1138.72 | 15258 | -80 | 492.25 | 1168.7 | 305.1 | 62 | 437.8 |
| Jan 2004 | 640 | 10.4 | 1140.24 | 15418 | 160 | 491.00 | 1168.7 | 279.6 | 62 | 437.1 |
| Feb 2004 | 765 | 13.3 | 1140.22 | 15416 | -2 | 490.42 | 1281.8 | 340.0 | 68 | 444.5 |
| Mar 2004 | 959 | 15.6 | 1138.91 | 15278 | -138 | 489.15 | 1300.7 | 427.1 | 69 | 445.2 |
| Apr 2004 | 1115 | 18.7 | 1134.16 | 14781 | -497 | 486.12 | 1300.7 | 500.7 | 69 | 449.2 |
| May 2004 | 1040 | 16.9 | 1130.51 | 14406 | -374 | 478.49 | 1885.0 | 441.9 | 100 | 425.0 |
| Jun 2004 | 852 | 14.3 | 1129.50 | 14304 | -103 | 476.51 | 1885.0 | 366.6 | 100 | 430.5 |
| Jul 2004 | 874 | 14.2 | 1129.56 | 14309 | 5 | 476.53 | 1885.0 | 376.2 | 100 | 430.2 |
| Aug 2004 | 795 | 12.9 | 1130.42 | 14397 | 88 | 477.15 | 1885.0 | 338.5 | 100 | 425.6 |
| Sep 2004 | 575 | 9.7 | 1129.23 | 14276 | -122 | 478.13 | 1885.0 | 239.1 | 100 | 415.7 |
| WY 2004 | 9487 | | | | | | | 4112.5 | | |
| Oct 2004 | 330 | 5.4 | 1130.54 | 14409 | 134 | 480.98 | 1771.9 | 128.9 | 94 | 391.2 |
| Nov 2004 | 675 | 11.3 | 1128.59 | 14211 | -199 | 485.23 | 1413.8 | 289.2 | 75 | 428.5 |
| Dec 2004 | 656 | 10.7 | 1127.21 | 14072 | -138 | 481.87 | 1300.7 | 277.8 | 69 | 423.6 |
| Jan 2005 | 727 | 11.8 | 1128.58 | 14210 | 138 | 479.31 | 1300.7 | 311.6 | 69 | 428.6 |
| Feb 2005 | 636 | 11.4 | 1129.20 | 14273 | 62 | 478.89 | 1300.7 | 271.0 | 69 | 426.2 |
| Mar 2005 | 991 | 16.1 | 1125.80 | 13931 | -342 | 477.11 | 1300.7 | 427.5 | 69 | 431.6 |
| Apr 2005 | 1087 | 18.3 | 1121.06 | 13462 | -469 | 473.05 | 1300.7 | 475.1 | 69 | 437.0 |
| May 2005 | 990 | 16.1 | 1117.70 | 13137 | -324 | 467.69 | 1526.8 | 414.5 | 81 | 418.8 |
| Jun 2005 | 894 | 15.0 | 1116.26 | 12998 | -139 | 463.54 | 1885.0 | 369.9 | 100 | 414.0 |
| Jul 2005 | 853 | 13.9 | 1116.42 | 13014 | 16 | 463.40 | 1885.0 | 357.2 | 100 | 418.8 |
| Aug 2005 | 754 | 12.3 | 1117.64 | 13131 | 117 | 464.25 | 1885.0 | 311.4 | 100 | 413.0 |
| Sep 2005 | 611 | 10.3 | 1119.21 | 13284 | 152 | 466.78 | 1885.0 | 251.2 | 100 | 411.4 |
| WY 2005 | 9202 | | | | | | | 3885.4 | | |
| Oct 2005 | 440 | 7.2 | 1120.61 | 13418 | 134 | 473.14 | 1413.8 | 180.5 | 75 | 410.5 |
| Nov 2005 | 671 | 11.3 | 1119.81 | 13341 | -76 | 475.90 | 1413.8 | 282.5 | 75 | 421.3 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Davis Dam - Lake Mohave

09-dec-2003 09:18:01

| | Power Release 1000 Ac-Ft | Power Release 1000 CFS | EOM Reservoir Elevation Feet | EOM Storage 1000 Ac-Ft | Change_In Storage 1000 Ac-Ft | Davis Static Head Feet | Davis Generator Capacity MW | Davis Gross Energy MKWH | Percent Of Units Available | KWH/AF |
|------------|--------------------------|------------------------|------------------------------|------------------------|------------------------------|------------------------|-----------------------------|-------------------------|----------------------------|--------|
| * Dec 2002 | 544 | 8.9 | 642.27 | 1679 | 162 | 0.00 | 163.0 | 67.4 | 68 | 123.9 |
| H Jan 2003 | 608 | 9.9 | 643.24 | 1705 | 26 | 0.00 | 154.0 | 76.7 | 64 | 126.2 |
| I Feb 2003 | 572 | 10.3 | 644.08 | 1728 | 23 | 0.00 | 178.0 | 73.2 | 74 | 128.0 |
| S Mar 2003 | 980 | 15.9 | 642.53 | 1686 | -42 | 0.00 | 197.0 | 124.6 | 82 | 127.1 |
| T Apr 2003 | 1108 | 18.6 | 642.53 | 1686 | 0 | 0.00 | 240.0 | 138.5 | 100 | 125.0 |
| O May 2003 | 955 | 15.5 | 643.60 | 1715 | 29 | 0.00 | 255.0 | 120.9 | 100 | 126.5 |
| R Jun 2003 | 905 | 15.2 | 642.89 | 1696 | -19 | 0.00 | 255.0 | 113.6 | 100 | 125.6 |
| I Jul 2003 | 886 | 14.4 | 644.60 | 1743 | 47 | 0.00 | 255.0 | 111.6 | 100 | 125.9 |
| C Aug 2003 | 723 | 11.8 | 644.48 | 1739 | -3 | 0.00 | 255.0 | 91.6 | 100 | 126.7 |
| A Sep 2003 | 660 | 11.1 | 640.95 | 1643 | -96 | 0.00 | 204.0 | 82.2 | 80 | 124.6 |
| WY 2003 | 9134 | | | | | | | 1143.3 | | |
| L Oct 2003 | 706 | 11.5 | 634.31 | 1468 | -175 | 0.00 | 204.0 | 84.7 | 80 | 120.0 |
| * Nov 2003 | 568 | 9.5 | 636.53 | 1526 | 58 | 0.00 | 196.0 | 67.9 | 77 | 119.5 |
| Dec 2003 | 550 | 8.9 | 641.00 | 1644 | 119 | 134.06 | 173.4 | 68.0 | 68 | 123.6 |
| Jan 2004 | 594 | 9.7 | 641.50 | 1658 | 13 | 136.96 | 163.2 | 74.6 | 64 | 125.5 |
| Feb 2004 | 698 | 12.1 | 643.01 | 1699 | 41 | 137.15 | 188.7 | 87.6 | 74 | 125.5 |
| Mar 2004 | 930 | 15.1 | 643.01 | 1699 | 0 | 137.29 | 209.1 | 116.5 | 82 | 125.2 |
| Apr 2004 | 1079 | 18.1 | 643.01 | 1699 | 0 | 136.05 | 255.0 | 134.1 | 100 | 124.4 |
| May 2004 | 1007 | 16.4 | 643.01 | 1699 | 0 | 136.05 | 255.0 | 125.7 | 100 | 124.9 |
| Jun 2004 | 851 | 14.3 | 642.00 | 1671 | -28 | 135.52 | 255.0 | 106.4 | 100 | 125.0 |
| Jul 2004 | 859 | 14.0 | 641.50 | 1658 | -14 | 134.73 | 255.0 | 106.9 | 100 | 124.5 |
| Aug 2004 | 760 | 12.4 | 641.50 | 1658 | 0 | 134.46 | 255.0 | 94.9 | 100 | 124.8 |
| Sep 2004 | 638 | 10.7 | 638.00 | 1564 | -94 | 132.63 | 255.0 | 78.9 | 100 | 123.8 |
| WY 2004 | 9240 | | | | | | | 1146.3 | | |
| Oct 2004 | 493 | 8.0 | 630.49 | 1371 | -193 | 128.32 | 204.0 | 59.1 | 80 | 119.9 |
| Nov 2004 | 558 | 9.4 | 634.00 | 1460 | 89 | 126.46 | 196.3 | 65.6 | 77 | 117.5 |
| Dec 2004 | 505 | 8.2 | 638.71 | 1583 | 123 | 131.54 | 173.4 | 61.4 | 68 | 121.7 |
| Jan 2005 | 612 | 10.0 | 641.80 | 1666 | 83 | 135.97 | 163.2 | 76.2 | 64 | 124.5 |
| Feb 2005 | 577 | 10.4 | 643.01 | 1699 | 33 | 137.30 | 188.7 | 72.9 | 74 | 126.3 |
| Mar 2005 | 962 | 15.6 | 643.01 | 1699 | 0 | 137.29 | 209.1 | 120.3 | 82 | 125.1 |
| Apr 2005 | 1051 | 17.7 | 643.01 | 1699 | 0 | 136.05 | 255.0 | 130.9 | 100 | 124.5 |
| May 2005 | 957 | 15.6 | 643.01 | 1699 | 0 | 136.05 | 255.0 | 119.7 | 100 | 125.1 |
| Jun 2005 | 893 | 15.0 | 642.00 | 1671 | -28 | 135.52 | 255.0 | 111.5 | 100 | 124.8 |
| Jul 2005 | 837 | 13.6 | 641.50 | 1658 | -14 | 134.73 | 255.0 | 104.3 | 100 | 124.6 |
| Aug 2005 | 719 | 11.7 | 641.50 | 1658 | 0 | 134.46 | 255.0 | 89.9 | 100 | 125.0 |
| Sep 2005 | 673 | 11.3 | 638.00 | 1564 | -94 | 132.63 | 255.0 | 83.2 | 100 | 123.6 |
| WY 2005 | 8837 | | | | | | | 1094.9 | | |
| Oct 2005 | 603 | 9.8 | 630.49 | 1371 | -193 | 128.32 | 204.0 | 71.9 | 80 | 119.2 |
| Nov 2005 | 554 | 9.3 | 634.00 | 1460 | 89 | 126.46 | 196.3 | 65.1 | 77 | 117.6 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T E M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply
Parker Dam - Lake Havasu

09-dec-2003 09:18:01

| | Power Release 1000 Ac-Ft | Power Release 1000 CFS | EOM Reservoir Elevation Feet | EOM Storage 1000 Ac-Ft | Change_In Storage 1000 Ac-Ft | Parker Static Head Feet | Parker Generator Capacity MW | Parker Gross Energy MKWH | Percent Of Units Available | KWH/AF |
|------------|--------------------------|------------------------|------------------------------|------------------------|------------------------------|-------------------------|------------------------------|--------------------------|----------------------------|--------|
| * Dec 2002 | 322 | 5.2 | 446.21 | 547 | -12 | 0.00 | 103.0 | 21.4 | 86 | 66.5 |
| H Jan 2003 | 378 | 6.1 | 445.69 | 537 | -10 | 0.00 | 120.0 | 25.5 | 100 | 67.5 |
| I Feb 2003 | 376 | 6.8 | 447.62 | 573 | 36 | 0.00 | 120.0 | 25.2 | 100 | 67.1 |
| S Mar 2003 | 728 | 11.8 | 445.89 | 541 | -32 | 0.00 | 120.0 | 48.5 | 100 | 66.6 |
| T Apr 2003 | 800 | 13.4 | 448.60 | 592 | 50 | 0.00 | 120.0 | 53.8 | 100 | 67.2 |
| O May 2003 | 709 | 11.5 | 448.83 | 596 | 5 | 0.00 | 120.0 | 48.4 | 100 | 68.3 |
| R Jun 2003 | 715 | 12.0 | 448.57 | 591 | -5 | 0.00 | 120.0 | 48.8 | 100 | 68.3 |
| I Jul 2003 | 742 | 12.1 | 448.81 | 596 | 5 | 0.00 | 120.0 | 50.7 | 100 | 68.3 |
| C Aug 2003 | 607 | 9.9 | 448.81 | 596 | -0 | 0.00 | 120.0 | 41.6 | 100 | 68.5 |
| A Sep 2003 | 572 | 9.6 | 447.05 | 562 | -33 | 0.00 | 113.0 | 39.9 | 94 | 69.8 |
| WY 2003 | 6841 | | | | | | | 465.3 | | |
| L Oct 2003 | 509 | 8.3 | 447.20 | 565 | 3 | 0.00 | 92.0 | 34.6 | 77 | 68.0 |
| * Nov 2003 | 336 | 5.7 | 446.96 | 560 | -5 | 0.00 | 94.0 | 22.9 | 78 | 68.0 |
| Dec 2003 | 342 | 5.6 | 444.65 | 518 | -42 | 73.98 | 103.2 | 21.6 | 86 | 63.2 |
| Jan 2004 | 354 | 5.8 | 444.00 | 507 | -11 | 71.80 | 120.0 | 21.8 | 100 | 61.7 |
| Feb 2004 | 476 | 8.3 | 445.80 | 539 | 32 | 72.36 | 120.0 | 30.0 | 100 | 63.0 |
| Mar 2004 | 680 | 11.1 | 446.70 | 555 | 16 | 73.67 | 120.0 | 43.9 | 100 | 64.6 |
| Apr 2004 | 805 | 13.5 | 448.71 | 594 | 38 | 75.09 | 120.0 | 53.2 | 100 | 66.0 |
| May 2004 | 744 | 12.1 | 449.60 | 611 | 18 | 76.49 | 120.0 | 49.8 | 100 | 66.9 |
| Jun 2004 | 732 | 12.3 | 449.60 | 611 | 0 | 76.93 | 120.0 | 49.3 | 100 | 67.3 |
| Jul 2004 | 771 | 12.5 | 448.00 | 580 | -31 | 76.15 | 120.0 | 51.4 | 100 | 66.7 |
| Aug 2004 | 668 | 10.9 | 447.50 | 570 | -10 | 75.13 | 120.0 | 43.9 | 100 | 65.7 |
| Sep 2004 | 560 | 9.4 | 446.81 | 557 | -13 | 74.55 | 120.0 | 36.4 | 100 | 64.9 |
| WY 2004 | 6976 | | | | | | | 458.7 | | |
| Oct 2004 | 482 | 7.8 | 446.31 | 548 | -9 | 75.37 | 90.0 | 31.5 | 75 | 65.4 |
| Nov 2004 | 378 | 6.4 | 445.99 | 543 | -6 | 74.98 | 90.0 | 24.4 | 75 | 64.4 |
| Dec 2004 | 320 | 5.2 | 445.80 | 539 | -4 | 74.73 | 90.0 | 20.3 | 75 | 63.5 |
| Jan 2005 | 378 | 6.1 | 445.80 | 539 | 0 | 74.64 | 90.0 | 24.2 | 75 | 64.1 |
| Feb 2005 | 376 | 6.8 | 445.80 | 539 | 0 | 74.64 | 90.0 | 24.2 | 75 | 64.4 |
| Mar 2005 | 728 | 11.8 | 446.70 | 555 | 16 | 75.08 | 90.0 | 48.1 | 75 | 66.1 |
| Apr 2005 | 800 | 13.4 | 448.71 | 594 | 38 | 75.09 | 120.0 | 52.8 | 100 | 66.0 |
| May 2005 | 710 | 11.5 | 449.60 | 611 | 18 | 76.49 | 120.0 | 47.5 | 100 | 66.8 |
| Jun 2005 | 715 | 12.0 | 449.60 | 611 | 0 | 76.93 | 120.0 | 48.1 | 100 | 67.2 |
| Jul 2005 | 742 | 12.1 | 448.00 | 580 | -31 | 76.15 | 120.0 | 49.5 | 100 | 66.7 |
| Aug 2005 | 607 | 9.9 | 447.50 | 570 | -10 | 75.13 | 120.0 | 39.7 | 100 | 65.5 |
| Sep 2005 | 572 | 9.6 | 446.81 | 557 | -13 | 74.86 | 112.8 | 37.3 | 94 | 65.3 |
| WY 2005 | 6808 | | | | | | | 447.7 | | |
| Oct 2005 | 509 | 8.3 | 446.29 | 548 | -9 | 75.24 | 92.4 | 33.3 | 77 | 65.4 |
| Nov 2005 | 393 | 6.6 | 446.00 | 543 | -5 | 74.79 | 93.6 | 25.3 | 78 | 64.4 |

O P E R A T I O N P L A N F O R C O L O R A D O R I V E R S Y S T Y M R E S E R V O I R S

Bureau of Reclamation - CRFS 12/2003 Most Prob Water Supply

Tue Dec 9 09:45:59 2003

Upper Basin Power

| | Glen Canyon | Flam Gorge | Blue Mesa | Morrow Point | Crystal Res | Font Res |
|-------------|----------------|---------------|--------------|-----------------|----------------|--------------|
| | 1000 MWHR | 1000 MWHR | 1000 MWHR | 1000 MWHR | 1000 MWHR | 1000 MWHR |
| * Dec 2002 | 276 | 16 | 3 | 4 | 0 | 3 |
| H Jan 2003 | 345 | 16 | 3 | 4 | 0 | 3 |
| I Feb 2003 | 326 | 19 | 4 | 5 | 0 | 2 |
| S Mar 2003 | 334 | 17 | 2 | 5 | 1 | 4 |
| Winter 2003 | 1852 | 101 | 41 | 56 | 20 | 14 |
| T Apr 2003 | 254 | 16 | 12 | 18 | 11 | 6 |
| O May 2003 | 275 | 48 | 11 | 20 | 18 | 5 |
| R Jun 2003 | 0 | 0 | 0 | 0 | 0 | 0 |
| I Jul 2003 | 386 | 17 | 29 | 39 | 20 | 3 |
| C Aug 2003 | 382 | 17 | 26 | 36 | 23 | 3 |
| A Sep 2003 | 201 | 32 | 17 | 23 | 22 | 3 |
| Summer 2003 | 1498 | 130 | 95 | 135 | 94 | 21 |
| L Oct 2003 | 206 | 17 | 13 | 18 | 8 | 2 |
| * Nov 2003 | 198 | 17 | 4 | 6 | 0 | 3 |
| Dec 2003 | 236 | 17 | 4 | 6 | 9 | 4 |
| Jan 2004 | 308 | 17 | 4 | 6 | 16 | 4 |
| Feb 2004 | 276 | 16 | 4 | 6 | 18 | 3 |
| Mar 2004 | 303 | 17 | 4 | 7 | 21 | 4 |
| Winter 2004 | 1528 | 101 | 33 | 48 | 73 | 20 |
| Apr 2004 | 230 | 17 | 8 | 13 | 22 | 6 |
| May 2004 | 251 | 45 | 7 | 17 | 19 | 6 |
| Jun 2004 | 314 | 52 | 9 | 17 | 15 | 8 |
| Jul 2004 | 367 | 22 | 27 | 33 | 9 | 10 |
| Aug 2004 | 366 | 22 | 31 | 37 | 11 | 10 |
| Sep 2004 | 187 | 22 | 29 | 34 | 16 | 6 |
| Summer 2004 | 1716 | 179 | 110 | 150 | 92 | 45 |
| Oct 2004 | 194 | 22 | 21 | 26 | 15 | 6 |
| Nov 2004 | 187 | 22 | 12 | 15 | 17 | 6 |
| Dec 2004 | 194 | 22 | 15 | 19 | 21 | 6 |
| Jan 2005 | 333 | 22 | 23 | 29 | 22 | 5 |
| Feb 2005 | 253 | 20 | 21 | 27 | 20 | 4 |
| Mar 2005 | 232 | 22 | 23 | 30 | 22 | 4 |
| Winter 2005 | 1392 | 130 | 115 | 147 | 117 | 31 |
| Apr 2005 | 233 | 22 | 24 | 34 | 22 | 5 |
| May 2005 | 255 | 58 | 12 | 25 | 21 | 6 |
| Jun 2005 | 321 | 68 | 8 | 18 | 17 | 8 |
| Jul 2005 | 372 | 43 | 27 | 34 | 16 | 10 |
| Aug 2005 | 372 | 43 | 32 | 37 | 0 | 8 |
| Sep 2005 | 325 | 42 | 31 | 37 | 0 | 7 |
| Summer 2005 | 1878 | 275 | 135 | 185 | 76 | 44 |
| Oct 2005 | 243 | 22 | 25 | 30 | 0 | 6 |
| Nov 2005 | 243 | 22 | 23 | 28 | -NaN | 6 |

model run id = 1293

FLOOD CONTROL CRITERIA BEGINNING OF MONTH CONDITIONS

| MON | YEAR | FLAMING | BLUE | NAVAJO | LAKE | UPPER | LAKE | TOTAL | TOTAL | FLAMING | BLUE | NAVAJO | TOT OR | LAKE | LAKE | TOTAL | BOM | MEAD | MEAD | SYS |
|-----|------|---------|------|--------|-------|-------|-------|-------|-------|---------|------|--------|--------|--------|-------|-------|-------|-------|------|------|
| | | GORG | MESA | | KAF | BASIN | | | | GORG | MESA | | MAX | POWELL | MEAD | | SPACE | SCHED | FC | CONT |
| DEC | 2003 | 1262 | 459 | 983 | 12524 | 15228 | 12043 | 27271 | 1262 | 459 | 983 | 2704 | 12524 | 12043 | 27271 | 4580 | 697 | 0 | 33.0 | |
| JAN | 2004 | 1285 | 455 | 987 | 12785 | 15513 | 12122 | 27635 | 1285 | 455 | 987 | 2728 | 12785 | 12122 | 27635 | 5350 | 640 | 0 | 32.8 | |
| JAN | 2004 | 1285 | 455 | 987 | 12785 | 15513 | 12122 | 27635 | 483 | 415 | 463 | 1361 | 12785 | 12122 | 26268 | 5350 | 640 | 0 | 32.8 | |
| FEB | 2004 | 1316 | 451 | 992 | 13208 | 15967 | 11962 | 27929 | 512 | 410 | 467 | 1389 | 13208 | 11962 | 26559 | 1500 | 765 | 0 | 32.5 | |
| MAR | 2004 | 1342 | 447 | 989 | 13547 | 16325 | 11964 | 28289 | 536 | 406 | 463 | 1406 | 13547 | 11964 | 26917 | 1500 | 959 | 0 | 32.1 | |
| APR | 2004 | 1340 | 437 | 952 | 13852 | 16581 | 12102 | 28683 | 528 | 395 | 422 | 1345 | 13852 | 12102 | 27300 | 1500 | 1115 | 0 | 31.8 | |
| MAY | 2004 | 1294 | 407 | 884 | 13850 | 16434 | 12599 | 29034 | 473 | 364 | 328 | 1165 | 13850 | 12599 | 27615 | 1500 | 1040 | 0 | 32.5 | |
| JUN | 2004 | 1194 | 268 | 757 | 13185 | 15404 | 12974 | 28378 | 362 | 218 | 169 | 748 | 13185 | 12974 | 26907 | 1500 | 852 | 0 | 33.8 | |
| JUL | 2004 | 988 | 88 | 672 | 12228 | 13976 | 13076 | 27053 | 141 | 18 | 38 | 197 | 12228 | 13076 | 25502 | 1500 | 874 | 0 | 34.0 | |
| AUG | 2004 | 865 | 71 | 685 | 12131 | 13752 | 13071 | 26823 | 865 | 71 | 685 | 1621 | 12131 | 13071 | 26823 | 1500 | 795 | 0 | 33.6 | |
| SEP | 2004 | 855 | 112 | 719 | 12519 | 14205 | 12983 | 27188 | 855 | 112 | 719 | 1686 | 12519 | 12983 | 27188 | 2270 | 575 | 0 | 33.2 | |
| OCT | 2004 | 874 | 169 | 725 | 12574 | 14342 | 13104 | 27447 | 874 | 169 | 725 | 1768 | 12574 | 13104 | 27447 | 3040 | 330 | 0 | 33.1 | |
| NOV | 2004 | 882 | 205 | 729 | 12567 | 14383 | 12971 | 27354 | 882 | 205 | 729 | 1816 | 12567 | 12971 | 27354 | 3810 | 675 | 0 | 33.0 | |
| DEC | 2004 | 895 | 218 | 724 | 12566 | 14403 | 13169 | 27572 | 895 | 218 | 724 | 1837 | 12566 | 13169 | 27572 | 4580 | 656 | 0 | 32.8 | |
| JAN | 2005 | 923 | 248 | 723 | 12629 | 14523 | 13308 | 27831 | 923 | 248 | 723 | 1895 | 12629 | 13308 | 27831 | 5350 | 727 | 0 | 32.6 | |
| JAN | 2005 | 923 | 248 | 723 | 12629 | 14523 | 13308 | 27831 | 553 | 246 | 372 | 1171 | 12629 | 13308 | 27107 | 5350 | 727 | 0 | 32.6 | |
| FEB | 2005 | 946 | 306 | 734 | 13014 | 15001 | 13170 | 28170 | 573 | 303 | 383 | 1259 | 13014 | 13170 | 27443 | 1500 | 636 | 0 | 32.4 | |
| MAR | 2005 | 960 | 358 | 735 | 13224 | 15277 | 13107 | 28384 | 584 | 354 | 383 | 1321 | 13224 | 13107 | 27652 | 1500 | 991 | 0 | 32.0 | |
| APR | 2005 | 930 | 406 | 695 | 13275 | 15306 | 13449 | 28755 | 548 | 403 | 338 | 1290 | 13275 | 13449 | 28014 | 1500 | 1087 | 0 | 31.8 | |
| MAY | 2005 | 859 | 421 | 607 | 13170 | 15056 | 13918 | 28975 | 467 | 421 | 226 | 1114 | 13170 | 13918 | 28203 | 1500 | 990 | 0 | 32.8 | |
| JUN | 2005 | 758 | 275 | 496 | 12251 | 13780 | 14243 | 28023 | 354 | 269 | 85 | 708 | 12251 | 14243 | 27202 | 1500 | 894 | 0 | 34.4 | |
| JUL | 2005 | 538 | 61 | 491 | 10937 | 12027 | 14382 | 26409 | 116 | 34 | 38 | 188 | 10937 | 14382 | 25507 | 1500 | 853 | 0 | 34.8 | |
| AUG | 2005 | 439 | 27 | 500 | 10650 | 11616 | 14366 | 25982 | 439 | 27 | 500 | 966 | 10650 | 14366 | 25982 | 1500 | 754 | 0 | 34.5 | |
| SEP | 2005 | 471 | 60 | 515 | 10935 | 11980 | 14249 | 26229 | 471 | 60 | 515 | 1046 | 10935 | 14249 | 26229 | 2270 | 611 | 0 | 34.2 | |
| OCT | 2005 | 535 | 119 | 530 | 11192 | 12376 | 14096 | 26472 | 535 | 119 | 530 | 1184 | 11192 | 14096 | 26472 | 3040 | 440 | 0 | 34.0 | |
| NOV | 2005 | 538 | 163 | 533 | 11229 | 12463 | 13962 | 26425 | 538 | 163 | 533 | 1234 | 11229 | 13962 | 26425 | 3810 | 671 | 0 | 33.9 | |